


Product: CBD-rich Broad Spectrum Hemp Oil 15%
Manufacturing date: 10 juli 2024
Batch number: 2540
Contract testing by: External tested



Date reviewed and approved by:
 L.W.M. Meulendijks 22 juli 2024

Cannabinoids						
Test	Compound	Methodoly	Specification	Test results		Pass/Fail
CBD Potency	CBD	HPLC-UV	> 15 %	17,64	% w/w	Pass
	CBDA	HPLC-UV		< LOQ	% w/w	
	CBDV	HPLC-UV		0,07	% w/w	
	CBDVA	HPLC-UV		< LOQ	% w/w	
	H4CBD	HPLC-UV			% w/w	
THC Potency	d8-THC	HPLC-UV		< LOQ	% w/w	Pass
	d9-THC	HPLC-UV	<= 0,01 %	< LOQ	% w/w	
	THCA	HPLC-UV		< LOQ	% w/w	
	THCP	HPLC-UV			% w/w	
	THCV	HPLC-UV		< LOQ	% w/w	
Other Potency	CBG	HPLC-UV	>= 0,1 %	0,22	% w/w	Pass
	CBN	HPLC-UV	>= 0,1 %	0,17	% w/w	Pass
	CBNA	HPLC-UV			% w/w	
	HHC	HPLC-UV			% w/w	
	CBC	HPLC-UV		0,28	% w/w	
	CBCA	HPLC-UV			% w/w	
	CBCVA	HPLC-UV			% w/w	
	CBLA	HPLC-UV			% w/w	

Remarks

N/A